

Sophia



Sophia

Sophia con la sua vasta gamma di formati modulari
è una collezione di preziosissimo Gres Porcellanato.

Grazie all' ampia disponibilità di formati e colori
si presta per la realizzazione di ambienti sempre nuovi, esclusivi ed eleganti.

E' arricchita da numerosi pezzi speciali e decori che le conferiscono
caratteristiche di versatilità uniche.

Sophia with its large range of modular sizes, is a collection of very precious gres porcelain.

Thanks to its variety of sizes and colors, it is suitable to build settings
more and more innovative, exclusive and smart. It is enriched by many special pieces
and decorations that give the line characteristics of unique versatility.






Sophia



Sophia Gold 15x15
Torello Gold 4,5x15
Gold Intreccio Piccolo



G9623A GOLD 45
7,5x15 - 3"x6"



G9633A GOLD 43
15x15 - 6"x6"



G9603A GOLD 30x30 - 12"x12" 39




G96039 GOLD INTRECCIO GRANDE 24
30x30 - 12"x12"



G96033 16
BEAK GOLD
3x3 - 1,2"x1,2"




G96032 10
QUARTER ROUND
GOLD 3x15 - 1,2"x6"




G96034 V-CAP 12
GOLD 5,5x15 - 2,2"x6"



G96334 BULLNOSE 6
GOLD
7,5x15 - 3"x6"



G96036 BATTISCOPIA GOLD 12
8x30 - 3,1"x12"



G96037 GOLD MOSAICO 5X5 15
30x30 - 12"x12"




G96139 GOLD INTRECCIO PICCOLO 31
30x30 - 12"x12"




G96035 C-CAP 18
GOLD 3x5,5 - 1,2"x2,2"



G96335 BULLNOSE 7
CORNER GOLD
7,5x7,5 - 3"x3"



G96036 BATTISCOPIA GOLD 12
8x30 - 3,1"x12"



G96333 TORELLO 15
GOLD 4,5x15 - 1,8"x6"



G96336 LISTELLO 16
GOLD 8x15 - 3,1"x6"



G96332 MATITA 10
GOLD 1,5x15 - 0,6"x6"



G96038 GOLD BRICK 13
30x30 - 12"x12"




G96338 GOLD BASKETWEAVE 28
30x30 - 12"x12"

gold



Sophia Green 15x15
 Sophia Green 30x30
 Green Mosaico 30x30
 Green Intreccio Piccolo
 30x30




G96013 16
 BEAK GREEN
 3x3 - 1,2"x1,2"


G9621A GREEN 45
 7,5x15 - 3"x6"



G9631A GREEN 43
 15x15 - 6"x6"




G96012 10
 QUARTER ROUND
 GREEN 3x15 - 1,2"x6"




G9601A GREEN 30x30 - 12"x12" 39




G96019 GREEN INTRECCIO GRANDE 24
 30x30 - 12"x12"




G96014 V-CAP 12
 GREEN 5,5x15 - 2,2"x6"



G96314 BULLNOSE 6
 GREEN
 7,5x15 - 3"x6"



G96016 BATTISCOPA GREEN 12
 8x30 - 3,1"x12"



G96017 GREEN MOSAICO 5X5 15
 30x30 - 12"x12"



G96119 GREEN INTRECCIO PICCOLO 31
 30x30 - 12"x12"



G96015 C-CAP 18
 GREEN 3x5,5 - 1,2"x2,2"




G96315 BULLNOSE 7
 CORNER GREEN
 7,5x7,5 - 3"x3"



G96313 TORELLO 15
 GREEN 4,5x15 - 1,8"x6"



G96316 LISTELLO 16
 GREEN 8x15 - 3,1"x6"



G96312 MATITA 10
 GREEN 1,5x15 - 0,6"x6"



G96018 GREEN BRICK 13
 30x30 - 12"x12"




G96318 GREEN BASKETWEAVE 28
 30x30 - 12"x12"

green




Sophia



 Sophia White 7,5x15
 Sophia White 15x15
 Listello White 8x15
 White Basketweave 30x30



G9620A WHITE 45
7,5x15 - 3"x6"



G9630A WHITE 43
15x15 - 6"x6"




G9600A WHITE 30x30 - 12"x12" 39



G96009 WHITE INTRECCIO GRANDE 24



G96003 16
BEAK WHITE
3x3 - 1,2"x1,2"



G96002 10
QUARTER ROUND
WHITE 3x15 - 1,2"x6"




G96004 V-CAP 12
WHITE 5,5x15 - 2,2"x6"



G96304 BULLNOSE 6
WHITE
7,5x15 - 3"x6"



G96006 BATTISCOPA WHITE 12
8x30 - 3,1"x12"



G96007 WHITE MOSAICO 5X5 15
30x30 - 12"x12"




G96109 WHITE INTRECCIO PICCOLO 31
30x30 - 12"x12"




G96005 C-CAP 18
WHITE 3x5,5 - 1,2"x2,2"



G96305 BULLNOSE 7
CORNER WHITE
7,5x7,5 - 3"x3"



G96006 BATTISCOPA WHITE 12
8x30 - 3,1"x12"



G96303 TORELLO 15
WHITE 4,5x15 - 1,8"x6"




G96306 LISTELLO 16
WHITE 8x15 - 3,1"x6"



G96302 MATITA 10
WHITE 1,5x15 - 0,6"x6"





G96008 WHITE BRICK 13
30x30 - 12"x12"



G96308 WHITE BASKETWEAVE 28
30x30 - 12"x12"

white

mosaici



G99422 VETRO GS6
ALMOND/AMBRA
30x30 - 12"x12" 34

G99412 VETRO GS4
NOCCIOLA/BLU
30x30 - 12"x12" 34

G99402 VETRO GS1
BRUNO
30x30 - 12"x12" 34

G99432 VETRO GS2
BIANCO/NE
30x30 - 12"x12" 34

SOPHIA

Imballaggi - packing - emballages - verpackung

Formato	Pezzi/scatola	Mq/scatola	Kg/scatola	Scatole/pallet	Mq/pallet	Kg/pallet	Scatole/europallet	Mq/europallet	Kg/europallet	Spessore
Size cm	Pieces/box	Sq.Mt./box	Weight/box	Box/pallet	Sq.Mt./pallet	Weight/pallet	Box/europallet	Sq.Mt./europallet	Weight/europallet	Thickness
Format cm	Pièces/boîte	Mq/boîte	Poids/boîte	Boîte/pallet	Mq/pallet	Poids/pallet	Boîte/europallet	Mq/europallet	Poids/europallet	Epaisseur
Format cm	Stück/Karton	Qm/Karton	Gewichte/Karton	Karton/pallet	Qm/pallet	Gewichte/pallet	Karton/europallet	Qm/europallet	Gewichte/europallet	Stärke
30x30 Fondo	15	1,35	25	42	56,7	1062	38	51,3	970	9
15x15 Fondo	30	0,675	12,5	84	56,7	1062	80	54	1020	9
7,5x15 Fondo	60	0,675	12,5	84	56,7	1045	80	54	1004	9
30x30 Mosaico 5x5	11		13,16							
30x30 Intr. Grande	11		17,398							
30x30 Intr. Piccolo	11		16,023							
30x30 Basketweave	6		7,065							
30x30 Brik	9		15,042							
30x30 Mosaico Vetro	11		15							
8x15 Listello	12		3,8							
4,5x15 Torello	12		3,3							
1,5x15 Matita	20		1,1							
5,5x5,5 Tozzetto	10		0,7							
V-Cap	12		2,835							
C-Cap	6		0,246							
Quarte Round	24		2,091							
Beak	10		0,12							
7,5x15 Bullnose	30		6,2							
7,5x7,5 Bullnose Corner	30		2,95							
Battiscopa	30		11,5							

CARATTERISTICHE TECNICHE

Technical Characteristics / Caracteristiques Techniques / Technische Eigenschaften
CONFORME / ACCORDING TO / CONFORME / GEMÄß: ANSI 137,1 Impervious porcelain tiles

	CARATTERISTICHE TECNICHE TECHNICAL CHARACTERISTICS CARACTERISTIQUES TECHNIQUES TECHNISCHE EIGENSCHAFTEN	METODO DI PROVA ASTM TEST METHOD ASTM METHODE D'ESSAI ASTM PRÜFMETHODE ASTM	REQUISITI PRESCRITTI Required Value Valeur Requise Vorgeschriebener Wert ANSI 137,1	VALORI Value/Valor/Wert VALLELUNGA QUALITÀ GLAZED GL
	ASSORBIMENTO D'ACQUA WATER ABSORPTION ABSORPTION D'EAU WASSERABSORPTION	ASTM C373	0,5% (fully vitrified)	≤ 0,05
	RESISTENZA ALLA ROTTURA BREAKING MODULUS RÉSISTANCE À LA FLEXION BIEGEFESTIGKEIT	ASTM C648	≥250 Pounds ≥113 Kg ≥1110 N	CONFORME Compliant
	DUREZZA MOHS MOHS HARDNESS DURETÉ MOHS HÄRTE MOHS	ASTM C501	Iw ≥100	METODO DI PROVA EN 101 MOHS 5
	RESISTENZA ALL'ABRASIONE ABRASION RESISTANCE RÉSISTANCE À L'ABRASION ABRASIONSWIDERSTÄNDIGKEIT	ASTM C1243	NON RICHIESTO Not required	METODO DI PROVA ISO 10545-7 PEI V
	RESISTENZA AGLI SBALZI TERMICI THERMAL SHOCK RESISTANCE RÉSISTANCE AUX CHOC THERMIQUES TEMPERATURWECHSELBESTÄNDIGKEIT	ASTM C484	RICHIESTO required	RESISTENTE Resistant
	RESISTENZA ALL'ATTACCO CHIMICO CHEMICAL RESISTANCE RÉSISTANCE CHIMIQUE CHEMISCHE BESTÄNDIGKEIT	ASTM C650	NON RICHIESTO Not required	RESISTENTE Resistant
	RESISTENZA AL GELO FROST RESISTANCE RÉSISTANCE AU GEL FROSTBESTÄNDIGKEIT	ASTM C1026	NON RICHIESTO Not required	RESISTENTE Resistant
	RESISTENZA AL DISTACCO DA UNA MALTA STANDARD BOND STRENGTH	ASTM C482	≥50 PSI ≥3,5 Kg/cm² ≥0,34 N/mm²	CONFORME Compliant
	RESISTENZA ALLE MACCHIE STAIN RESISTANCE RÉSISTANCE AUX TACHES FLECKENBESTÄNDIGKEIT	CTI 81-7	NON RICHIESTO Not required	RESISTENTE Resistant
	SPESORE THICKNESS ÉPAISSEUR STÄRKE	ASTM C485 Planarit Warpage	≤ 1,0% Sui lati/On sides ≤ 0,75% Sulle diagonali/On diagonals	CONFORME Compliant
		ASTM C499 Dimensioni Dimensions	≤ 3,0% Sulle dimensioni nominali Of nominal dimensions ≤ 1,5% Differenza nel lotto tra valori min. e max./Difference in batch between min. and major values ≤ 0,040 inch	CONFORME Compliant
		ASTM C499 Spessore Thickness	Differenza nel lotto tra spessore min. e max. Difference in batch between min. and major thickness	CONFORME Compliant
		ASTM C502 Parallelismo dei lati Wedging	≤ 1,0 %	CONFORME Compliant
	MISURA DEL COEFFICIENTE DI ATTRITO STATICO	ASTM C1028-96	≤ 0,60	BAGNATA 0,62 DRY 0,92



Le tonalità dei colori sono indicative
The colour shades are indicative
Les nuances des couleurs sont indicatives
Die Farbtöne sind annähernd



01036 NEPI (VT) Loc. Settevene S.S. Cassia Km 36.300
Tel. 0761 5291 - 4 linee - Fax. 0761 527156 - www.vallelungacer.it